

STAGE SETS

MODULAR PLATFORM



STAGE SETS

Modular Platform with variable millimetric height

- The upper frame is realized with an upper perimetrical aluminium profile and central transverses.
- A mechanism with jackscrews transmits the vertical movement to four articulated legs and permits the variable millimetric height.
- Four feet can compensate, up to 50 mm, the possible floor unevenness and are complete of hooking to the surrounding platforms.
- The control is easily obtained by a standard electric or battery screwdriver inserted into the central hole of the floor.
- Wood floor of different types available.

Dimensions:

240x120 cm height up to 1100mm

200x100 cm height up to 1000mm



Vertical movement also of the closing folding panels.



Control of vertical movement by means of a standard electric or battery screwdriver, introduced into a small central hole in the floor.


STAGE SETS

LOAD ESPECIFICATIONS

FLEXSTAGE 2.4 x 1.8 SURFACE: 4.32 m²

TRAVEL - 30 cm MINIMUM TO 120 cm MAXIMUM
TRAVEL TIME - 1.5 MIN. (90 SEG)


HEIGHT CM	NOMINAL LOAD	MAXIMUM LOAD	TOTAL LOAD
1200	600/m ²	800 KG/m ²	3400 kg
80	600/m ²	800 KG/m ²	3400 kg
60	600/m ²	700 kg/m ²	2975 kg
40	600/m ²	600 kg/m ²	2550 kg



FLEXSTAGE 2.4 x 1.2 SURFACE: 2.88 m²

TRAVEL - 30 cm MINIMUM TO 120 cm MAXIMUM
TRAVEL TIME - 1.5 MIN. (90 SEG)


HEIGHT CM	NOMINAL LOAD	MAXIMUM LOAD	TOTAL LOAD
1200	500/m ²	750 KG/m ²	2160
80	500/m ²	750 KG/m ²	2160
60	500/m ²	500 kg/m ²	1440
40	500/m ²	500 kg/m ²	1440




FLEXSTAGE 2 x 1 SURFACE: 2.00 m²

TRAVEL - 20 cm MINIMUM TO 100 cm MAXIMUM
TRAVEL TIME - 1.5 MIN. (90 SEG)

HEIGHT CM	NOMINAL LOAD	MAXIMUM LOAD	TOTAL LOAD
1000	750/m ²	750 KG/m ²	1500
80	750/m ³	750 KG/m ²	1500
40	750/m ⁴	750 KG/m ²	1500
20	750/m ⁵	750 KG/m ²	1500




Detail of the compensation foot, for possible floor unevenness, up to 50 mm and lateral device for hooking of surrounding platforms.



Detail of trapezoidal shape of the articulated legs.

Optional vertical and perimetrical closing of the front part of the platform with folding panels in ribbed plastic fabric.

STAGE SETS



STAGE SETS

Tel: 52 (55) 3600 2000

Fax: 52 (55) 5000 9410

USA Phone: (956) 725 6772

Fax: (956) 725 2517

www.stage-sets.com